922653. A single specimen of this small fly was swept from bare mud at dusk (c. 19.30hrs).

## **CALLIPHORIDAE**

Cynomya mortuorum (Linne). 31.vii.82 Conyer TQ 9665. A single male of this impressive species was taken from the leaves of Salix atrocinerea Brot.

## Addendum

Since writing the above, I have taken a single male *Leucozona* glaucia from Berengrave Lane LNR, Rainham TQ 820670 (7.vii.83). It is interesting, but perhaps coincidental, that both my captures have been on the chalk. I have taken further specimens of *Myoleja* caesio from Sambucus nigra, but to date no material has been reared from the fruits of that species. Geomyza venusta was taken at Queendown Warren, Hartlip TQ 828628 in May 1983.

## Acknowledgements

In addition to Mr. B. R. Pitkin, I would like to acknowledge the assistance of Mr. P. J. Chandler for identifying the Mycetophilidae and Platypezidae, and Mr. J. H. Cole for identifying the *Hercostomus plagiatus* and *Chrysotus pulchellus*.

## References

- Allen, A. A. 1977. Geomyza breviseta Cz. and G. venusta Mg. (Dipt:Opomyzidae) in West Kent, the latter confirmed as British. Ent. Rec. 89: 221.
- Coe, R. L. 1950. *Chironomidae* in Coe, Freeman and Mattingly *Handbooks for the Identification of British Insects*, **IX** pt. 2 Nematocera.
- Collin, J. E. 1951. The British species of the genus *Palloptera* Fln. (Diptera) *Ent. Rec.* 63: suppl. 1-6.
- Seguy, E. 1934 Faune de France. 28. Muscidae Acalypterae et Scatophagidae.

THE HUMMING BIRD HAWK MOTH IN SCOTLAND. — While on Arran recently I found a specimen of this moth, apparently not long dead, in the Dining Hall of Arran Outdoor Centre, Shiskine. It was found on the 12th July 1984. — A. F. JOHNSTON, 17 The moors, Kidlington, Oxford OX5 2AH.